

TA IQ IndoorWave

1.516 with seat lift



Allowed user weight

125 kg





with seat lift

CHARACTERISTICS

- Biomechanical backrest and footrest

FIELD OF USE

- For indoor and outdoor use
- The lowest seat height of 40 cm allows to drive under low objects and furniture
- Obstacle climbing up to 65 mm
- For independent mobility, for permanent and all-day use

THERAPEUTIC BENEFIT

- Particularly for users with more severe functional disorders such as high acquired or congenital spinal cord injury, cranial-brain trauma, advanced muscular diseases (e. g. muscular dystrophy), advanced MS sufferers, celebratory paresis, spina bifida

☐ ORDER

☐ COST ESTIMATE

☐ CUSTOM DESIGN

Please fax the completed order form to:

05733 922 9311

Customer service:

05733 922 311

Billing address / Customer ref. no.:

Delivery address:

Consignment / Comments:

Order quantity:

MEYRA®



Allowed user weight

125 kg



Hints

Our Terms and Conditions as stated at www.meyra.de/AGB shall apply

You can find information on the measurement process at www.meyra.de/messverfahren

*Gültig vom 01.08.2021 – 31.12.2021.

Errors, misprints and changes reserved.

Use our K.I.S.S.S. for orders and configurations at www.kisss-by-meyra.de

You avoid queries and incorrect orders thanks to the buildability check

more product information at www.meyra.de

**Technical specifications**

Driving speed	6 km/h
Gyroscope	not possible
RANGE	10 - 15 km
Max. User weight	125 kg
Electric seat lift in mm	320
LED lighting	optional
Turning radius in mm	450
Batteries	2 x 38 Ah
Motor power	2 x 450 W
Electronic	R-Net
Length without leg supports in mm	695
Chassis width in mm	560
Seat height in mm	400
Seat widths in mm	380 / 400 / 450 / 500 / 550
Seat depth in mm	infinitely variable from 250 – 600
Max. obstacle height in mm	65
Ground clearance in mm	70
Fixing eyelets	optional
Electric seat angle adjustment in °	45°
Electric backrest adjustment	several options
Electric legrest	several options

☐ Please select by ticking the relevant boxes☒ Special construction/Individual solutions☐ Standard version: If no other selection is made, the standard version will be delivered.**01 Drive**

CODE	DESCRIPTION	RANGE
<input type="checkbox"/> 115	6 km/h-Variante	10 - 15 km

02 Wheels

Castor	rim	Pneumatic tyres		Puncture-proof tyres	
		Tire grey	Tire black	Tire grey	Tire black
Steering wheel 200 x 50	black	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	silver	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>


Drive wheels

CODE	DESCRIPTION
<input type="checkbox"/> 4459	Drive wheel 260x85, grey PU tyres
<input type="checkbox"/> 4461	Drive wheel 260x85, black pneumatic tyres

Type of drive

CODE	DESCRIPTION
<input type="checkbox"/> 4444	Front wheel drive
<input type="checkbox"/> 4445	Rear wheel drive

Wheels options

CODE	DESCRIPTION
<input type="checkbox"/> 816	Plastic cover for swivel wheels 200 x 50 (pair)  Not in conjunction with reinforced swivel wheels

☐ Please select by ticking the relevant boxes

☒ Special construction/Individual solutions

☐ Standard version: If no other selection is made, the standard version will be delivered.

03 Seat width / Seat depth

	Seat depth (mm)															
Seat width (SW)	350	360	370	380	390	400	410	420	430	440	450	460	470	480	490	500
SW 380 mm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
SW 400 mm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
SW 450 mm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
SW 500 mm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
SW 550 mm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	Seat depth (mm)															
Seat width (SW)	510	520	530	540	550	560	570	580	590	600						
SW 380 mm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						
SW 400 mm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						
SW 450 mm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						
SW 500 mm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						
SW 550 mm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						

04 Back unit


CODE	DESCRIPTION
<input type="checkbox"/> 401	Manual backrest 90°
<input type="checkbox"/> 26	Manual backrest, adjustable via gas spring
<input type="checkbox"/> 25	Electric backrest, 95°-135° ⚠ Start, end position and adjustment range depend on seat depth and can vary by 15°
<input type="checkbox"/> 4326	Electric backrest, 95°-150° ⚠ Start, end position and adjustment range depend on seat depth and can vary by 15°

⚠ Back with physiological pivot

Varilite back system

		System width						
System	depth		350 mm	380 mm	400 mm	430 mm	450 mm	500 mm
VL ICON-Back Deep		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
VL ICON-Back Tall		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
without back system	<input type="checkbox"/>						

☐ Please select by ticking the relevant boxes☒ Special construction/Individual solutions☐ Standard version: If no other selection is made, the standard version will be delivered.**05 Seat unit**

CODE	DESCRIPTION
<input type="checkbox"/> 27	Seat lift 320 mm
<input type="checkbox"/> 118	Electrical seat angling (0 – 45°)  *Pflichtcodierung

Back/seat options

CODE	DESCRIPTION
<input type="checkbox"/> 913	Headrest with mounting
<input type="checkbox"/> 4506	Headrest medium with mount
<input type="checkbox"/> 957	Torso pads (pair)
<input type="checkbox"/> 4336	Transport hook mounted on the back
<input type="checkbox"/> 4946	Lumbar support cushion small
<input type="checkbox"/> 4523	Lumbar support cushion medium
<input type="checkbox"/> 4524	Lumbar support cushion large
<input type="checkbox"/> 4525	Lumbar support cushion adjustable
<input type="checkbox"/> 292	Mesh fabric black
<input type="checkbox"/> 4980	Incontinence material black
<input type="checkbox"/> 4333	Thigh supports (pair), 75 x 100 mm
<input type="checkbox"/> 4334	Thigh supports (pair), 100 x 130 mm
<input type="checkbox"/> 4335	Thigh supports (pair), 130 x 150 mm

without seat system

CODE	DESCRIPTION
<input type="checkbox"/> 727	without seat system

☐ Please select by ticking the relevant boxes

☒ Special construction/Individual solutions

☐ Standard version: If no other selection is made, the standard version will be delivered.

Varilite Evolution seat system

		Cushion depth							
Varilite Evolution	CW		350 mm	380 mm	400 mm	430 mm	450 mm	500 mm	550 mm
Single-chambered air cushion	380 mm			<input type="checkbox"/>		<input type="checkbox"/>			
	400 mm				<input type="checkbox"/>		<input type="checkbox"/>		
	430 mm					<input type="checkbox"/>			
	450 mm				<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	
	500 mm						<input type="checkbox"/>	<input type="checkbox"/>	
	550 mm								

Varilite Meridian seat system

		Cushion depth							
Varilite Meridian	CW		350 mm	380 mm	400 mm	430 mm	450 mm	500 mm	550 mm
Dual-chambered air cushions	380 mm			<input type="checkbox"/>		<input type="checkbox"/>			
	400 mm		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	
	430 mm					<input type="checkbox"/>			
	450 mm				<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	500 mm				<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	
	550 mm						<input type="checkbox"/>	<input type="checkbox"/>	

☐ Please select by ticking the relevant boxes

☒ Special construction/Individual solutions

☐ Standard version: If no other selection is made, the standard version will be delivered.

Varilite Stratus seat system

		Cushion depth							
Varilite Stratus	CW		350 mm	380 mm	400 mm	430 mm	450 mm	500 mm	550 mm
Single-chambered air cushion	380 mm			<input type="checkbox"/>		<input type="checkbox"/>			
	400 mm				<input type="checkbox"/>		<input type="checkbox"/>		
	430 mm					<input type="checkbox"/>			
	450 mm				<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	
	500 mm						<input type="checkbox"/>	<input type="checkbox"/>	



06 Armrests swivel up

		with stabilizer (height 280-370mm)		without stabilizer (height 240-380mm)	
Guidance	Cushion length	430 mm	320 mm	430 mm	320 mm
Armrest left		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

		with stabilizer (height 280-370mm)		without stabilizer (height 240-380mm)	
Guidance	Cushion length	430 mm	320 mm	430 mm	320 mm
Armrest right		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

 Adjustable length and width position

Armrests options

CODE	DESCRIPTION
<input type="checkbox"/> 106	Armrest at seat, height adjustable, removable
<input type="checkbox"/> 4502	Adapter for lateral swivel armrests – right  only in conjunction with CODE 14 swivel armrest
<input type="checkbox"/> 4503	Adapter for lateral swivel armrests – left  only in conjunction with CODE 14 swivel armrest

☐ Please select by ticking the relevant boxes

☒ Special construction/Individual solutions

☐ Standard version: If no other selection is made, the standard version will be delivered.

07 Legrests







Central legrests

Dimensions from seat plate

LSL (mm) 240 250 260 270 280 290 300 340 350 360 370 380 390 400 410 420 430

A

B

CODE	LSL (mm)	DESCRIPTION	TYPE
<input type="checkbox"/> 5104	A	Multifunctional centra legrest incl. calf pad  with electric angle and lower leg length adjustment of 150mm	Footplate
<input type="checkbox"/> 5105	B	Multifunctional centra legrest incl. calf pad short  with electric angle and lower leg length adjustment of 80mm	Footplate
<input type="checkbox"/> 4510	A	Multifunctional centra legrest incl. calf pad  with electric angle and lower leg length adjustment of 150mm	One-piece footrest
<input type="checkbox"/> 4511	B	Multifunctional centra legrest incl. calf pad short  with electric angle and lower leg length adjustment of 80mm	One-piece footrest
<input type="checkbox"/> 4512	A	Multifunctional centra legrest incl. calf pad  with electric angle and lower leg length adjustment of 150mm	electric footplate
<input type="checkbox"/> 4513	B	Multifunctional centra legrest incl. calf pad short  with electric angle and lower leg length adjustment of 80mm	electric footplate
<input type="checkbox"/> 5101		Manual central legrest adjustable	Footplate
<input type="checkbox"/> 5103		Manual central legrest adjustable	One-piece footrest
<input type="checkbox"/> 4517		Manual central legrest adjustable	electric footplate




Single legrest left

CODE	DESCRIPTION
<input type="checkbox"/> 4450	Electric legrest
<input type="checkbox"/> 4451	Manual legrest
<input type="checkbox"/> 4508	Amputee leg support

☐ Please select by ticking the relevant boxes☒ Special construction/Individual solutions☐ Standard version: If no other selection is made, the standard version will be delivered.**Single legrest right**

CODE	DESCRIPTION
<input type="checkbox"/> 4330	Electric legrest
<input type="checkbox"/> 4331	Manual legrest
<input type="checkbox"/> 4507	Amputee leg support


Leg support options

CODE	DESCRIPTION
<input type="checkbox"/> 4329	Adduction protection  only in conjunction with multifunctional legrest
<input type="checkbox"/> 4498	Knee pad right side  only in conjunction with CODE 4330 electric legrest
<input type="checkbox"/> 4499	Knee pad left side  only in conjunction with CODE 4450 electric legrest

08 Batteries and Chargers



CODE	DESCRIPTION
<input type="checkbox"/> 509	Maintenance-free batteries 38 Ah
<input type="checkbox"/> 731	Charger 6 A

09 Control modules and accessories








CODE	DESCRIPTION
<input type="checkbox"/> 4462	R-Net LED control module
<input type="checkbox"/> 415	R-Net LED and light control module
<input type="checkbox"/> 416	R-Net control module CJS2 and light
<input type="checkbox"/> 398	R-Net control module CJS2 bluetooth
<input type="checkbox"/> 839	OMNI II Environment control for special controls
<input type="checkbox"/> 4789	Additional control module for accompanying person  only in conjunction with CODE 4472, 4473 or 4467 bracket

☐ Please select by ticking the relevant boxes☒ Special construction/Individual solutions☐ Standard version: If no other selection is made, the standard version will be delivered.

Control module bracket

CODE	DESCRIPTION
<input type="checkbox"/> 4327	Control module right, height adjustable, can be swiveled to the side
<input type="checkbox"/> 4328	Control module left, height adjustable, can be swiveled to the side
<input type="checkbox"/> 4504	Control module right, lowerable
<input type="checkbox"/> 4527	Control module left, lowerable
<input type="checkbox"/> 4472	Bracket for additional operating module  only i.C. with Additional control Code 4789
<input type="checkbox"/> 4473	Swivel bracket for additional operating module  only i.C. with Additional control Code 4789

Control options

CODE	DESCRIPTION
<input type="checkbox"/> 565	Chin control, electrically swing-away to the side
<input type="checkbox"/> 810	Chin control, mechanically swing-away to the side
<input type="checkbox"/> 4495	All-round Joystick  only in conjunction with CODE 839 OMNI II
<input type="checkbox"/> 4496	Switch Satellite Twister Black
<input type="checkbox"/> 4497	Multi-Joystick  only in conjunction with CODE 839 OMNI II
<input type="checkbox"/> 4500	Micro-Joystick  only in conjunction with CODE 839 OMNI II
<input type="checkbox"/> 4469	Heavy Duty Joystick  only in conjunction with CODE 416 R-Net Joystick CJS
<input type="checkbox"/> 4505	All-round joystick, lightweight design  only in conjunction with CODE 839 OMNI II
<input type="checkbox"/> 4318	Multiswitch box (armrest) left or right
<input type="checkbox"/> 4467	Hanger and emergency switch on the back for additional control module Code 4789  not in conjunction with transport hooks
<input type="checkbox"/> 564	Rear-head control  only in conjunction with CODE 839 OMNI II
<input type="checkbox"/> 4337	Adapter for battery shutdown (transport)

☐ Please select by ticking the relevant boxes☒ Special construction/Individual solutions☐ Standard version: If no other selection is made, the standard version will be delivered.**External button**

CODE	DESCRIPTION
<input type="checkbox"/> 4520	PIKO PB50, black
<input type="checkbox"/> 4521	PIKO PB50, black
<input type="checkbox"/> 4522	PIKO PB50, red
<input type="checkbox"/> 779	PIKO PB50, yellow
<input type="checkbox"/> 778	PIKO PB50, green

Joystick options

CODE	DESCRIPTION
<input type="checkbox"/> 4359	Softball 80 mm
<input type="checkbox"/> 4360	Golf ball white
<input type="checkbox"/> 4478	Golf ball black
<input type="checkbox"/> 4479	Golf ball pink
<input type="checkbox"/> 4480	Golf ball yellow
<input type="checkbox"/> 4481	Golf ball orange
<input type="checkbox"/> 4528	Golf ball football
<input type="checkbox"/> 4358	Tetra fork narrow 76 mm vertical

10 Lighting

CODE	DESCRIPTION
<input type="checkbox"/> 932	LED lighting incl. turn signal, warning flashing light and brake light

☐ Please select by ticking the relevant boxes☒ Special construction/Individual solutions☐ Standard version: If no other selection is made, the standard version will be delivered.**11 Buckles for seat/back system**

CODE	DESCRIPTION
Breast shoulder strap	
<input type="checkbox"/> 4401	XS
<input type="checkbox"/> 4433	S
<input type="checkbox"/> 4434	M
<input type="checkbox"/> 4435	L
Two-point belt	
<input type="checkbox"/> 4436	XS
<input type="checkbox"/> 4437	S
<input type="checkbox"/> 4438	M
<input type="checkbox"/> 4439	L
Four- point belt	
<input type="checkbox"/> 4440	XS
<input type="checkbox"/> 4441	S
<input type="checkbox"/> 4442	M
<input type="checkbox"/> 4443	L

20 Accessories / Custom-made products

CODE	DESCRIPTION
<input type="checkbox"/> 929	Therapeutic table transparent
<input type="checkbox"/> 2721	Dahl Docking Adapter Plate
<input type="checkbox"/> 721	Four-point fastening system for car transport
<input type="checkbox"/> 2237	Remote stop
<input type="checkbox"/> 953	*Armlehentasche
<input type="checkbox"/> 4518	Cladding black
<input type="checkbox"/> 4519	Cladding titanium

Remarks

Date

City

Signature